

# Robotics 102 (Sep 8 2021)

- Project 0 (Pocket Calculator) Demo - calculator66, calculator71
- Open Q&A
- In-class Activity: Range scan conversion (optional, but encouraged)





**Make:**

# Rhoeby the LIDAR Hexapod



Be the first to review this product.


### TeraRanger Evo 60m I2C ToF Rangefinder

by In stock

**Product Highlights**

- Small high-performance distance measurement sensor that uses LED technology
- Provides calibrated distance readings from 0.5m up to 60m
- Comes with a I2C breakout board with 9pin DVI 12 Open-ended cable (1 x 3.9mm, 500pin)
- Update rate: up to 240Hz

<https://www.roboticstomorrow.com/article/2015/11/low-cost-lidar-based-navigation-for-mobile-robotics/7270>




## ROS-based Hexapod Robot

# Convert range into point





**Range  
Data**




**Robot**





**Range  
Data**




**Robot**

Write a program to

Convert  $r \theta$   
into  $x y$


Range  
Data



Robot

Take range from user input; Convert with a *single* function

### convertRangeToPoint.cpp

```
convertRangeToPoint( )  
{  
    // convert polar coordinates to Cartesian coordinates  
  
     $y = r \sin(\theta)$    $x = r \cos(\theta)$   
  
    return ;  
}
```